

The Canadian Entomologist

INDEX TO VOLUME 106

1974

Editor: V. R. Vickery



THE ENTOMOLOGICAL SOCIETY OF CANADA, OTTAWA

CONTENTS

- Ables, J. R. and Shepard, M.** Responses and competition of the parasitoids *Spalangia endius* and *Muscidifurax raptor* (Hymenoptera: Pteromalidae) at different densities of house fly pupae, 825.
- Akingbohunge, A. E.** Nymphal characters and higher classification analysis in the Miridae (Hemiptera: Heteroptera) with a subfamily key based on the nymphs, 687.
- AliNiazee, M. T.** Evaluation of *Bacillus thuringiensis* against *Archips rosanus* (Lepidoptera: Tortricidae), 393.
- The western cherry fruit fly, *Rhagoletis indifferens* (Diptera: Tephritidae). 1. Distribution of the diapausing pupae in the soil, 909. 2. Aggressive behavior, 1201.
- Allen, D. C.** See Dimond, J. B., 509.
- Allen, R. K.** *Neochoroterpes*, a new subgenus of *Choroterpes* Eaton from North America (Ephemeroptera: Leptophlebiidae), 161.
- The present status of *Ephemerella borakensis* (Ephemeroptera: Ephemerellidae), 1227.
- Alleyne, E. H. and Morrison, F. O.** *Pemphigus spirothecae* (Homoptera: Aphidoidea), an aphid which causes spiral galls on poplar in Quebec, 1229.
- Armstrong, J. A.** See Morris, O. N., 813.
- Arrand, J. C. and McMahon, H.** *Plagiognathus medicagus* (Hemiptera: Miridae): Descriptions of egg and five nymphal instars, 433.
- Auclair, J. L.** See Srivastava, P. N., 149.
- Baer, R. G.** See Berisford, C. W., 1109.
- Baker, W. V. and Estrin, C. L.** The alimentary canal of *Scolytus multistriatus* (Coleoptera: Scolytidae): A histological study, 673.
- Batth, S. S.** A method recommended for evaluating residual pesticides for cockroach control, 1081.
- A method recommended for evaluating residual pesticides for house fly (Diptera: Muscidae) control, 1241.
- Batth, S. S. and Singh, J.** Evaluation of Dichlorvos vaporizing solids for controlling insects, 31.
- Becker, E. C.** Revision of the Nearctic species of *Athous* (Coleoptera: Elateridae) east of the Rocky Mountains, 711.
- Beckwith, R. C.** See Torgersen, T. R., 1247.
- Beirne, B. P.** See Mayer, D. F., 349.
- Bergeron, J.-M. and Buckner, C. H.** Some aspects of the population dynamics of *Semiothisa* species (Geometridae: Ennominae) in southern Manitoba larch bogs, 957.
- Berisford, C. W.** Hymenopterous parasitoids of the eastern juniper bark beetle, *Phloeosinus dentatus* (Coleoptera: Scolytidae), 869.
- Berisford, C. W., Godbee, J. F., and Baer, R. G.** Inhibition of Nantucket pine tip moth (Lepidoptera: Olethreutidae) attraction by small proportions of pitch pine tip moth pheromone, 1109.
- Boerger, H.** See Clifford, H. F., 1111.
- Borden, J. H.** See Ostaff, D. P., 493, 659.
- Brower, J. H.** Developmental success of two species of *Ips* (Coleoptera: Scolytidae) in a chronically irradiated forest community, 233.
- Radioresistance of the red flour beetle, *Tribolium castaneum* (Coleoptera: Tenebrionidae), exposed to sublethal doses of gamma irradiation for 25 generations, 241.
- Bryant, D. G.** Distribution of first instar nymphs of *Adelges piceae* (Homoptera: Phylloxeridae) on branches of balsam fir, *Abies balsamea*, after colonization, 1075.
- Buckner, C. H.** See Bergeron, J.-M., 957.
- Burkholder, W. E., Ma, M., Kuwahara, Y., and Matsumura, F.** Sex pheromone of the furniture carpet beetle, *Anthrenus flavipes* (Coleoptera: Dermestidae), 835.
- Butler, G. D., Jr.** See Stinner, R. E., 519.
- Cameron, P. J. and Morrison, F. O.** Sampling methods for estimating the abundance and distribution of all life stages of the apple maggot, *Rhagoletis pomonella* (Diptera: Tephritidae), 1025.
- Campbell, J. M.** A new species of *Micropeplus* (Coleoptera: Micropeplidae) from Oregon, 465.
- See also Ullrich, W. G., 627.
- Cardé, R. T.** Diel periodicities of female calling and male pheromone attraction in *Holomelina aurantiaca* (Lepidoptera: Arctiidae), 933.
- Cardé, R. T., Doane, C. C., and Roelofs, W. L.** Diel periodicity of male sex pheromone response and female attractiveness in the gypsy moth (Lepidoptera: Lymantriidae), 479.
- Cerezke, H.** See Sanders, C. J., 157.
- Chan, K.-L.** See Ho, B.-C., 201.
- Chawla, S. S., Perron, J.-M., and Cloutier, M.** Effects of different growth factors on the potato aphid, *Macrosiphum euphorbiae* (Aphididae: Homoptera), fed on an artificial diet, 273.
- Clifford, H. F. and Boerger, H.** Fecundity of mayflies (Ephemeroptera), with special reference to mayflies of a brown-water stream of Alberta, Canada, 1111.
- Cloutier, M.** See Chawla, S. S., 273.

- Croft, B. A. See Riedl, H., 525.
- Cunningham, J. C. See Morris, O. N., 813.
- Dahlsten, D. L. and Stephen, F. M. Natural enemies and insect associates of the mountain pine beetle, *Dendroctonus ponderosae* (Coleoptera: Scolytidae), in sugar pine, 1211.
- Danks, H. V. The macrotype eggs of Tachinidae (Diptera) on *Heliothis* spp. (Lepidoptera: Noctuidae) in North Carolina, 1277.
- Daterman, G. E. See Sanders, C. J., 157; Furniss, M. M., 381.
- David, J. and Loschiavo, S. R. Effects of the antifeeding compound AC 24055 (4'-(3,3-dimethyl-1-triazeno)acetanilide) on larvae and adults of *Drosophila melanogaster* (Diptera: Drosophilidae), 1009.
- Davidson, L. M. See Weatherston, J., 781.
- Davies, D. M. See Thomson, A. J., 107.
- DeLong, D. M. and Hamilton, K. G. A. The genus *Amblysellus* (Homoptera: Cicadellidae): A key to the known species, with descriptions of eight new species, 841.
- Dew, H. E. See Gibo, D. L., 503, 873.
- Dimond, J. B. and Allen, D. C. Sampling populations of pine leaf chermid *Pineus pinifoliae* (Homoptera: Chermidae). III. Neosistestes on white pine, 509.
- Doane, C. C. See Cardé, R. T., 479.
- Downes, J. A. Sugar feeding by the larva of *Chrysopa* (Neuroptera), 121.
- Downing, R. S. and Moillett, T. K. Comparisons between an exotic and an endemic phytoseiid mite predator (Acarina: Phytoseiidae) in British Columbia, 773.
- Doyen, J. T. and Somerby, R. E. Phenetic similarity and Müllerian mimicry among darkling ground beetles (Coleoptera: Tenebrionidae), 759.
- Ede, E. K. Some observations on *Metrioptera roeselii* (Grylloptera: Tettigoniidae) in Maine, New Hampshire, and Massachusetts, 1205.
- Ehler, L. E. and van den Bosch, R. An analysis of the natural biological control of *Trichoplusia ni* (Lepidoptera: Noctuidae) on cotton in California, 1067.
- Ellis, R. A. and Wood, D. M. First Canadian record of *Corethrella brakeleyi* (Diptera: Chaoboridae), 221.
- Eskafi, F. M. and Legner, E. F. Descriptions of immature stages of the cynipid *Hexacola* sp. near *websteri* (Eucolilinae: Hymenoptera), a larval-pupal parasite of *Hippelates* eye gnats (Diptera: Chloropidae), 1043.
- Estrin, C. L. See Baker, W. V., 673.
- Fairchild, G. B. See Philip, C. B., 985.
- Ferguson, D. C. Moths of the *Semiothisa signaria* complex (Lepidoptera: Geometridae), 569.
- Ferrell, G. T. Moisture stress and fir engraver (Coleoptera: Scolytidae) attack in white fir infected by true mistletoe, 315.
- Fredeen, F. J. H. Tests with single injections of methoxychlor black fly (Diptera: Simuliidae) larvicides in large rivers, 285.
- Freitag, R. Selection for a non-genital mating structure in female tiger beetles of the genus *Cicindela* (Coleoptera: Cicindelidae), 561.
See also Ryder, J. P., 913.
- Freitag, R., Ryder, J. P., and Wanson, P. Mite (Acarina) populations in ring-billed gull nests, 319.
- Furniss, M. M. See Kline, L. N., 485.
- Furniss, M. M., Daterman, G. E., Kline, L. N., McGregor, M. D., Trostle, G. C., Pettinger, L. F., and Rudinsky, J. A. Effectiveness of the Douglas-fir beetle antiaggregative pheromone methylcyclohexenone at three concentrations and spacings around felled host trees, 381.
- Gaunce, A. P. See Morgan, C. V. G., 917.
- Gibo, D. L. A laboratory study on the selective advantage of foundress associations in *Polistes fuscatus* (Hymenoptera: Vespidae), 101.
- Gibo, D. L., Dew, H. E., and Hajduk, A. S. Thermoregulation in colonies of *Vespula arenaria* and *Vespula maculata* (Hymenoptera: Vespidae). II. The relation between colony biomass and caloric production, 873.
- Gibo, D. L., Yarascavitch, R. M., and Dew, H. E. Thermoregulation in colonies of *Vespula arenaria* and *Vespula maculata* (Hymenoptera: Vespidae) under normal conditions and under cold stress, 503.
- Gillott, C. See Sawchyn, W. W., 367, 1283.
- Godbee, J. F. See Berisford, C. W., 1109.
- Gooding, R. H. Digestive processes of haematophagous insects. V. Inhibitors of trypsin from *Glossina morsitans morsitans* (Diptera: Glossinidae), 39.
- Granett, J. Juvenile hormone analogue toxicity to laboratory reared gypsy moth larvae, *Porthetria dispar* (Lepidoptera: Lymantriidae), 695.
- Guppy, J. C. See Harcourt, D. G., 337, 1295.
- Guppy, J. C. and Mukerji, M. K. Effects of temperature on development rate of the immature stages of the alfalfa weevil, *Hypera postica* (Coleoptera: Curculionidae), 93.
- Gutierrez, A. P. See Stinner, R. E., 519.
- Hagley, E. A. C. Codling moth: Emergence, sex ratio, and abundance, 399.

- Hajduk, A. S.** See Gibo, D. L., 873.
- Hamilton, K. G. A.** See DeLong, D. M., 841.
- Harcourt, D. G., J. C. Guppy, D. M. MacLeod, and D. Tyrrell.** The fungus *Entomophthora phytonomi* pathogenic to the alfalfa weevil, *Hypera postica*, 1295.
- Harcourt, D. G., Mukerji, M. K., and Guppy, J. C.** Estimation of egg populations of the alfalfa weevil, *Hypera postica* (Coleoptera: Curculionidae), 337.
- Harvey, G. T.** Nutritional studies of eastern spruce budworm (Lepidoptera: Tortricidae). I. Soluble sugars, 353.
- Helgesen, R. G. and Tauber, M. J.** Biological control of greenhouse whitefly, *Trialeurodes vaporariorum* (Aleyrodidae: Homoptera), on short-term crops by manipulating biotic and abiotic factors, 1175.
- Herbert, H. J.** Notes on the biology of the apple rust mite, *Aculus schlechtendali* (Prostigmata: Eriophyoidea), and its density on several cultivars of apple in Nova Scotia, 1035.
- Ho, B.-C., Kan, S.-P., Chan, K.-L., Sih, A., and LeRoux, E. J.** *Exoristobia philippinensis*, a hymenopteran endoparasite of puparia of synanthropic flies (Hymenoptera: Encyrtidae). I. Histological studies of its life cycle, 201.
- Hodges, R. W.** A new species of *Aroga* (Lepidoptera: Gelechiidae) from North America, 987.
- Howse, G. M.** See Morris, O. N., 813.
- Hürka, K.** See Peterson, B. V., 1049.
- Ittycheriah, P. I., Quraishi, M. S., and Marks, E. P.** Effects of ecdysones, juvenile hormone analogs, and 6-oxooctanoic acid on the development of the mosquito, *Culex tarsalis* (Diptera: Culicidae), 79.
- Johnstone, D. E.** See Vickery, V. R., 423.
- Jong, C.** See Morgan, C. V. G., 917.
- Kan, S.-P.** See Ho, B.-C., 201.
- Kearby, W. H.** See Roling, M. P., 1301.
- Kelton, L. A.** On the status of seven Nearctic species currently included in the genus *Lygus* Hahn (Heteroptera: Miridae), 377.
- Kerr, G. E.** Visual and acoustical communicative behaviour in *Dissosteira carolina* (Orthoptera: Acrididae), 263.
- Kevan, D. K. McE. and Lee, S.-K.** Changes in the phallic complex of adult *Atractomorpha sinensis sinensis* (Orthoptera: Pyrgomorphidae), 645.
- Kline, L. N.** See Furniss, M. M., 381.
- Kline, L. N., and Schmitz, R. F., Rudinsky, J. A., and Furniss, M. M.** Repression of spruce beetle (Coleoptera) attraction by methylcyclohexenone in Idaho, 485.
- Kuwahara, Y.** See Burkholder, W. E., 835.
- Lafontaine, J. D.** A synopsis of the *redimicula* group of the genus *Euxoa* Hbn. (Lepidoptera: Noctuidae) with a computer analysis of genitalic characters, 409.
- A new species of *Euxoa* (Lepidoptera: Noctuidae) from western United States, 651.
- The *punctigera* group of the genus *Euxoa* (Lepidoptera: Noctuidae), with descriptions of two new species, 1233.
- Lamb, R. J. and Wellington, W. G.** Techniques for studying the behavior and ecology of the European earwig, *Forficula auricularia* (Dermaptera: Forficulidae), 881.
- Lanier, G. N.** See Piston, J. J., 247.
- Larivière, J. M.** See Sharma, M. L., 307.
- Lee, L. K.** See Sell, D. K., 701.
- Lee, S.-K.** See Kevan, D. K. McE., 645.
- Legner, E. F.** See Olton, G. S., 785; Eskafi, F. M., 1043.
- Leonard, D. E. and Simmons, G. A.** The effects of Zectran on the parasitoids of the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 545.
- LeRoux, E. J.** See Ho, B.-C., 201.
- Lindquist, E. E.** Nomenclatural status and authorship of some family-group names in the Eriophyoidea (Acarina: Prostigmata), 209.
- Loschiavo, S. R.** Laboratory studies of a device to detect insects in grain, and of the distribution of adults of the rusty grain beetle, *Cryptolestes ferrugineus* (Coleoptera: Cucujidae), in wheat-filled containers, 1309.
- See also David, J., 1009.
- Lyons, L. A. and Sullivan, C. R.** Early differential mortality in *Neodiprion sertifer* (Hymenoptera: Diprionidae), 1.
- Ma, M.** See Burkholder, W. E., 835.
- MacGown, M. W.** New Nearctic *Platygaster* (Hymenoptera: Proctotrupeoidea, Platygastridae): The *coloradensis* group, 213.
- A new species of *Platygaster* (Hymenoptera: Proctotrupeoidea, Platygastridae) parasitic on *Lasiophora nodula* (Diptera: Cecidomyiidae) in blackberry stem galls, 437.
- MacGown, M. W. and Osgood, E. A.** Two new species of Platygastridae (Hymenoptera: Proctotrupeoidea), 539.

- Maclean, W.** See Weatherston, J., 281.
- MacLeod, D. M.** See Harcourt, D. G., 1295.
- Marks, E. P.** See Ittycheriah, P. I., 79.
- Mason, R. R.** Population change in an outbreak of the Douglas-fir tussock moth, *Orgyia pseudotsugata* (Lepidoptera: Lymantriidae), in central Arizona, 1171.
- Mason, W. R. M.** An endemic subspecies of *Echthromorpha agrestoria* on Easter Island (Hymenoptera: Ichneumonidae), 935.
- The *Apanteless* species (Hymenoptera: Braconidae) attacking Lepidoptera in the micro-habitat of the spruce budworm (Lepidoptera: Tortricidae), 1087.
- Matsumura, F.** See Burkholder, W. E., 835.
- Mauldin, J. K.** See Williams, L. H., 949.
- Mayer, D. F. and Beirne, B. P.** Aspects of the ecology of apple leaf rollers (Lepidoptera: Tortricidae) in the Okanagan Valley, British Columbia, 349.
- McAlpine, J. F.** The Lonchaeidae (Diptera) described by Bigot, 777.
- McCambridge, W. F.** Influence of low temperatures on attack, oviposition, and larval development of mountain pine beetle, *Dendroctonus ponderosae* (Coleoptera: Scolytidae), 979.
- McCauley, V. J. E.** Instar differentiation in larval Chironomidae (Diptera), 179.
- McFarlane, J. E.** The functions of copper in the house cricket and the relation of copper to vitamin E, 441.
- McGregor, M. D.** See Furniss, M. M., 381.
- McKague, B. and Wood, P. M.** Effects of insect developmental inhibitors on adult emergence of black flies (Diptera: Simuliidae), 253.
- McKinlay, K. S.** Laboratory studies of spray deposits on the migratory grasshopper (*Melanoplus sanguinipes*) (Orthoptera: Acrididae), 1103.
- McMahon, H.** See Arrand, J. C., 433.
- McMullen, L. H. and Sahota, T. S.** Effect of a juvenile hormone analogue on developmental rate and growth rate of progeny in *Pissodes strobi* (Coleoptera: Curculionidae), 1015.
- Meeking, J. M., Seabrook, W. D., and Paim, U.** Perception of carbon dioxide by larvae of *Orthosoma brunneum* (Coleoptera: Cerambycidae) as indicated by recordings from the ventral nerve cord, 257.
- Metcalf, R. L.** See Sell, D. K., 701.
- Moilliet, T. K.** See Downing, R. S., 773.
- Morgan, C. V. G., Gaunce, A. P., and Jong, C.** Control of codling moth larvae in harvested apples by methyl bromide fumigation and cold storage, 917.
- Morris, G. K.** See Wood, T. K., 143; Pipher, R. E., 997.
- Morris, O. N., Armstrong, J. A., Howse, G. M., and Cunningham, J. C.** A 2-year study of virus-chemical insecticide combination in the integrated control of the spruce budworm, *Choristoneura fumiferana* (Tortricidae: Lepidoptera), 813.
- Morrison, F. O.** See Cameron, P. J., 1025; Alleyne, E. H., 1229.
- Mukerji, M. K.** See Guppy, J. C., 93; Harcourt, D. G., 337; Randell, R. L., 801; Pickford, R., 1219.
- Munroe, E.** Three new genera and four new species of Pyralidae (Lepidoptera) from South America, 11.
- New Pyralidae (Lepidoptera) from the Papuan Region, III, 21.
- New genera, species and generic transfers of Neotropical Odontiinae (Lepidoptera: Pyralidae), 127.
- Transfer of *Cybalomia angustalis* Dognin to *Udea* Guenée, with description of a related new species (Lepidoptera: Pyralidae), 139.
- A new *Noctueliopsis* from Texas (Lepidoptera: Pyralidae: Odontiinae), 655.
- See also Mutuura, A., 937.
- Murray, V. I. E.** Development of the posterior spiracles in *Hypoderma* (Diptera: Hypodermatidae) *lineatum* and *H. bovis*, 113.
- Mutuura, A. and Munroe, E.** A new genus and species related to *Dioryctria* Zeller (Lepidoptera: Pyralidae: Phycitinae), with definition of an additional species group in *Dioryctria*, 937.
- Nijholt, W. W. and Sahota, T. S.** Changes in triglyceride fatty acids during brood production of Douglas-fir beetles (Coleoptera: Scolytidae), 927.
- Olton, G. S. and Legner, E. F.** Biology of *Tachinaephagus zealandicus* (Hymenoptera: Encyrtidae), parasitoid of synanthropic Diptera, 785.
- Osgood, C. E.** Insect mortality associated with Saran plastic screen, 1039.
- Osgood, E. A.** See MacGown, M. W., 539.
- Ostaf, D. P., Borden, J. H., and Shepherd, R. F.** Reproductive biology of *Lambdina fiscellaria lugubrosa* (Lepidoptera: Geometridae), 659.
- Ostaf, D. P., Shepherd, R. F., and Borden, J. H.** Sex attraction and courtship behavior in *Lambdina fiscellaria lugubrosa* (Lepidoptera: Geometridae), 493.
- Otvos, I. S.** A collecting method for pupae of *Lambdina fiscellaria fiscellaria* (Lepidoptera: Geometridae), 329.
- Paim, U.** See Meeking, J. M., 257.
- Pankiw, P. and Siemens, B.** Management of *Megachile rotundata* in northwestern Canada for population increase, 1003.

- Pechuman, L. L.** A second specimen of *Holcopsis fenestrata* (Diptera: Tabanidae), 559.
- Peck, O.** Chalcidoid (Hymenoptera) parasites of the horn fly, *Haematobia irritans* (Diptera: Muscidae), in Alberta and elsewhere in Canada, 473.
- Steffanolampus*, a new genus for *Perilampus salicetum* (Chalcidoidea) and its Nearctic distribution, 555.
- Nearctic records of two European species of Pteromalidae (Hymenoptera: Chalcidoidea), 623.
- Perron, J.-M.** See Chawla, S. S., 273.
- Peterson, B. V. and Hürka, K.** Ten new species of bat flies of the genus *Trichobius* (Diptera: Streblidae), 1049.
- Pettinger, L. F.** See Furniss, M. M., 381.
- Philip, C. B. and Fairchild, G. B.** A peculiar new genus of Diachlorini (Diptera: Tabanidae) from Mexico, 985.
- Pickford, R.** Reproductive behaviour of the clear-winged grasshopper, *Camnula pellucida* (Orthoptera: Acrididae), 403.
- Pickford, R. and Mukerji, M. K.** Assessment of loss in yield of wheat caused by the migratory grasshopper, *Melanoplus sanguinipes* (Orthoptera: Acrididae), 1219.
- Pipher, R. E. and Morris, G. K.** Frequency modulation in *Conocephalus nigropleurum*, the black-sided meadow katydid (Orthoptera: Tettigoniidae), 997.
- Piston, J. J. and Lanier, G. N.** Pheromones of *Ips pini* (Coleoptera: Scolytidae). Response to interpopulational hybrids and relative attractiveness of males boring in two host species, 247.
- Free, D. J.** Effects of insect developmental inhibitors on the apple maggot, *Rhagoletis pomonella* (Diptera: Trypetidae), 1019.
- Proshold, F. I.** A yellow pupal body, sex-linked mutant in the tobacco budworm, *Heliothis virescens* (Lepidoptera: Noctuidae), 1195.
- Quednau, F. W.** Notes on the Lizerini Blanchard with descriptions of new *Lizerius* and *Paoliella* species from South America and Africa (Homoptera: Aphididae), 45.
- Quraishi, M. S.** See Ittycheriah, P. I., 79.
- Randell, R. L. and Mukerji, M. K.** A technique for estimating hatching of natural egg populations of *Melanoplus sanguinipes* (Orthoptera: Acrididae), 801.
- Read, D. C.** Bioactivity of fensulfothion and trichloronat in soil, 87.
- Toxicity of carbamate and organophosphorus insecticide residues absorbed by rutabagas grown in treated soil, 1319.
- Reid, D. G.** New records of *Hexameris* (Nematoda: Mermithidae) parasitizing three species of *Slaterocoris* (Hemiptera: Miridae), 239.
- Reinhard, H. J.** New genera and species of American Tachinidae (Diptera), 1155.
- Retnakaran, A.** A rapid autoradiography system to detect labelled leucine incorporated in the testis of the bumble bee wax moth, *Vitula edmandsae* (Lepidoptera: Phycitidae), 447.
- Induction of sexual maturity in the white pine weevil, *Pissodes strobi* (Coleoptera: Curculionidae), by some analogues of juvenile hormone, 831.
- The mechanism of sperm precedence in the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 1189.
- Riedl, H. and Croft, B. A.** A study of pheromone trap catches in relation to codling moth (Lepidoptera: Olethreutidae) damage, 525.
- Robinson, A. G.** Two new North American aphids (Homoptera: Aphididae), 111.
- Four new species of aphids (Homoptera: Aphididae) from Manitoba, 467.
- Roelofs, W. L.** See Cardé, R. T., 479.
- Roling, M. P. and Kearby, W. H.** Life stages and development of *Monarthrus fasciatus* (Coleoptera: Scolytidae) in dying and dead oak trees, 1301.
- Rudinsky, J. A.** See Furniss, M. M., 381; Kline, L. N., 485.
- Ryder, J. P.** See Freitag, R., 319.
- Ryder, J. P. and Freitag, R.** Densities of arthropod populations in nests of ring-billed gulls, 913.
- Sahota, T. S.** See Nijholt, W. W., 927; McMullen, L. H., 1015.
- Sanders, C. J., Daterman, G. E., Shepherd, R. F., and Cerezke, H.** Sex attractants for two species of western spruce budworm, *Choristoneura biennis* and *C. viridis* (Lepidoptera: Tortricidae), 157.
- Sawchyn, W. W. and Gillott, C.** The life history of *Lestes congener* (Odonata: Zygoptera) on the Canadian prairies, 367.
- The life histories of three species of *Lestes* (Odonata: Zygoptera) in Saskatchewan, 1283.
- Schmitz, R. F.** See Kline, L. N., 485.
- Seabrook, W. D.** See Meeking, J. M., 257.
- Sell, D. K., Whitt, G. S., Metcalf, R. L., and Lee, L. K.** Enzyme polymorphism in the corn earworm, *Heliothis zea* (Lepidoptera: Noctuidae). Hemolymph esterase polymorphism, 701.
- Sharma, M. L., Larivière, J. M., and Thériault, L. M.** Production des formes sexuées chez *Acyrtosiphon pisum* (Aphididae: Homoptera), sur les pois de variété Lincoln dans les conditions expérimentales de l'extérieur, 307.

- Shepard, M. See Ables, J. R., 825.
- Shepherd, R. F. See Sanders, C. J., 157; Ostaff, D. P., 493, 659.
- Siemens, B. See Pankiw, P., 1003.
- Sih, A. See Ho, B.-C., 201.
- Simmons, G. A. See Leonard, D. E., 545.
- Simonini, D. See Weatherston, J., 781.
- Singh, J. See Batth, S. S., 31.
- Smirnoff, W. A. Sensibilité de *Lambdina fiscellaria fiscellaria* (Lepidoptera: Geometridae) à l'infection par *Bacillus thuringiensis* Berliner seul ou en présence de chitinase, 429.
- Somerby, R. E. See Doyen, J. T., 759.
- Specht, H. B. Cutworms (Lepidoptera: Noctuidae) of tobacco in Nova Scotia. II. Fall rye and winter fallow effects on a field population, 73.
- Srivastava, P. N. and Auclair, J. L. Effect of amino acid concentration on diet uptake and performance by the pea aphid, *Acyrtosiphon pisum* (Homoptera: Aphididae), 149.
- Stavrakis, G. N. and Wright, R. H. Molecular vibration and insect attraction: *Dacus oleae* (Diptera: Tephritidae), 333.
- Stein, J. D. Spring cankerworm (*Paleacrita vernata*) (Lepidoptera: Geometridae) feeding on flax as a secondary host, 783.
- Stephen, F. M. See Dahlsten, D. L., 1211.
- Stinner, R. E., Gutierrez, A. P., and Butler, G. D., Jr. An algorithm for temperature-dependent growth rate simulation, 519.
- Sullivan, C. R. See Lyons, L. A., 1.
- Syme, P. D. Observations on the fecundity of *Hyssopus thymus* (Hymenoptera: Eulophidae), 1327.
- Tauber, C. A. Systematics of North American chrysopid larvae: *Chrysopa carnea* group (Neuroptera), 1133.
- See Tauber, M. J., 921, 969.
- Tauber, M. J. See Helgesen, R. G., 1175.
- Tauber, M. J. and Tauber, C. A. Dietary influence on reproduction in both sexes of five predacious species (Neuroptera), 921.
- Thermal accumulations, diapause, and oviposition in a conifer-inhabiting predator, *Chrysopa harrisii* (Neuroptera), 969.
- Thériault, L. M. See Sharma, M. L., 307.
- Thomson, A. J. and Davies, D. M. The biology of *Pollenia rudis*, the cluster fly (Diptera: Calliphoridae). III. The effect of soil conditions on the host-parasite relationship, 107.
- Torgersen, T. R. A revision of the Holarctic species of *Pygocryptus* (Hymenoptera: Ichneumonidae), 889.
- Torgersen, T. R. and Beckwith, R. C. Parasitoids associated with the large aspen tortrix, *Choristoneura conflictana* (Lepidoptera: Tortricidae), in interior Alaska, 1247.
- Trostle, G. C. See Furniss, M. M., 381.
- Turner, W. J. A revision of the genus *Symphoromyia* Frauenfeld (Diptera: Rhagionidae). I. Introduction. Subgenera and species-groups. Review of biology, 851.
- Tyrrell, D. See Harcourt, D. G., 1295.
- Ullrich, W. G. and Campbell, J. M. A revision of the apterus-group of the genus *Tachinus* Gravenhorst (Coleoptera: Staphylinidae), 627.
- van den Bosch, R. See Ehler, L. E., 1067.
- Vickery, V. R. and Johnstone, D. E. Changes in synonymy in *Orchelimum* Audinet-Serville, 1838 (Grylloptera: Tettigoniodea: Conocephalidae), 423.
- Wanson, P. See Freitag, R., 319.
- Weatherston, J., Davidson, L. M., and Simonini, D. Attractants for several male forest Lepidoptera, 781.
- Weatherston, J. and Maclean, W. The occurrence of (E)-11-tetradecen-1-ol, a known sex attractant inhibitor, in the abdominal tips of virgin female eastern spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 281.
- Wellington, W. G. Changes in mosquito flight associated with natural changes in polarized light, 941.
- See also Lamb, R. J., 881.
- Weseloh, R. M. Relationships between different sampling procedures for the gypsy moth, *Porthetria dispar* (Lepidoptera: Lymantriidae) and its natural enemies, 225.
- Wheeler, A. G., Jr. Phytophagous arthropod fauna of crownvetch in Pennsylvania, 897.
- Studies on the arthropod fauna of alfalfa. VI. Plant bugs (Miridae), 1267.
- Whitt, G. S. See Sell, D. K., 701.
- Wilkinson, C. Numerical classification: Some questions answered, 449.
- Williams, L. H. and Mauldin, J. K. Anobiid beetle, *Xyletinus peltatus* (Coleoptera: Anobiidae), oviposition on various woods, 949.
- Wilson, G. G. The use of Fumidil B to suppress the microsporidan *Nosema fumiferanae* in stock cultures of the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 995.

- Wilson, L. F.** Life history and habits of a leaf tier, *Aroga argutiola* (Lepidoptera: Gelechiidae), on sweet fern in Michigan, 991.
- Wong, H. R.** The identification and origin of the strains of the larch sawfly, *Pristiphora erichsonii* (Hymenoptera: Tenthredinidae), in North America, 1121.
- Wood, D. M.** A new species of *Masistylum* in the Nearctic Region (Diptera: Tachinidae), 175.
Notes on *Allophorocera* with a description of a new species (Diptera: Tachinidae) from Finland, 667.
See also Ellis, R. A., 221.
- Wood, P. M.** See McKague, B., 253.
- Wood, T. K.** Aggregating behavior of *Umbonia crassicornis* (Homoptera: Membracidae), 169.
- Wood, T. K. and Morris, G. K.** Studies on the function of the membracid pronotum (Homoptera).
I. Occurrence and distribution of articulated hairs, 143.
- Wright, R. H.** Housefly memory, 223.
See also Stavrakis, G. N., 333.
- Yarascavitch, R. M.** See Gibo, D. L., 503.

THE ENTOMOLOGICAL SOCIETY OF CANADA

SUPPLEMENTS AND MEMOIRS

- No. 1** of Vol. LXXXVII (mailed 30 March 1955): The comparative internal larval anatomy of sawflies (Hymenoptera: Symphyta) — Doreen E. Maxwell
- No. 1** of Vol. LXXXVIII (mailed 10 December 1956): Revision of the Nearctic species of *Agriotes* (Coleoptera: Elateridae) — Edward C. Becker
- No. 2** of Vol. LXXXVIII (mailed 16 January 1957): Leafhoppers (Homoptera: Cicadellidae) of Canada and Alaska — Bryan P. Beirne
- No. 3** of Vol. LXXXVIII (mailed 2 January 1957): The New World species of *Chrysomela* L. (Coleoptera: Chrysomelidae) — W. J. Brown
- NOTE: After this issue the "Supplements" became, in fact, a self-contained series with a continuous numbering system independent of *The Canadian Entomologist*. Nevertheless, they were still issued (with later exceptions) as "Accompanying" volumes of *The Canadian Entomologist*.
- Because four Supplements had already been published, the next one was called No. 5 — there is no Supplement No. 4.
- No. 4** — there is no Supplement No. 4.
- No. 5** (mailed 2 December 1957): The use of larval anatomy in the study of bark beetles (Coleoptera: Scolytidae) — J. B. Thomas
- No. 6** (mailed 8 April 1958): Taxonomy, life history, and habits of the elliptoid-eyed species of *Schinia* (Lepidoptera: Noctuidae), with notes on the Heliothidinae — David F. Harwick
- No. 7** (mailed 28 April 1958): The Archipinae of North America (Lepidoptera: Tortricidae) — T. N. Freeman
- No. 8** (mailed 12 September 1958): Larvae of the Nearctic Laurentiinae (Lepidoptera: Geometridae) — W. C. McGuffin
- No. 9** (mailed 14 November 1958): Acridoidea of southern Alberta, Saskatchewan, and Manitoba (Orthoptera) — Arthur R. Brooks
- No. 10** (mailed 26 March 1959): Larvae of the North American Olethreutidae (Lepidoptera) — Margaret Rae MacKay
- No. 11** (mailed 26 March 1959): Male genitalia as taxonomic characters in the Miridae (Hemiptera) — Leonard A. Kelton
- No. 12** (mailed 15 June 1959): Phytoseiid mites (Acarina: Phytoseiidae). I. Bionomics of seven species in southeastern England. II. A taxonomic review of the family Phytoseiidae, with descriptions of 38 new species — D. A. Chant
- No. 13** (mailed 14 November 1960): A synopsis of the genus *Rhopalosiphum* in Canada (Homoptera: Aphididae) — W. R. Richards
- No. 14** (mailed 16 March 1961): A revision of the Nearctic species of Fanniinae (Diptera: Muscidae) — J. G. Chillcott
- No. 15** (mailed 1 February 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). I. Introduction, key to Nearctic genera of Ichneumoninae Stenopneusticae, and synopsis of the Protichneumonini north of Mexico — Gerd H. Heinrich
- No. 16** (mailed 11 January 1961): Needle-mining Lepidoptera of pine in North America — T. N. Freeman
- No. 17** (mailed 25 October 1961): The classification of the Papilionidae (Lepidoptera) — Eugene Munroe
- No. 18** (mailed 4 April 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). II. Synopsis of the Ichneumonini: Genera *Orgichneumon*, *Cratichneumon*, *Homotherus*, *Aculichneumon*, *Spilichneumon* — Gerd H. Heinrich
- No. 19** (mailed 4 April 1961): Mathematical models for use in insect pest control — Kenneth E. F. Watt
- No. 20** (mailed 6 April 1961): Adult Elateridae of southern Alberta, Saskatchewan and Manitoba (Coleoptera) — A. R. Brooks
- No. 21** (mailed 13 September 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). III. Synopsis of the Ichneumoni: Genera *Ichneumon* and *Thyrateles* — Gerd H. Heinrich
- No. 22** (mailed 29 May 1961): Taxonomy and distribution of Nearctic *Vespa* — C. D. F. Miller

- No. 23 (mailed 21 December 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). IV. Synopsis of the Ichneumonini: Genera *Chasmias*, *Neamblymorpha*, *Anisopygus*, *Limerodops*, *Eupalamus*, *Tricholabus*, *Pseudamblyteles*, *Eutanyacra*, *Ctenichneumon*, *Epephanes*, *Ectopimorpha*, *Pseudoamblyteles* — Gerd H. Heinrich
- No. 24 (mailed 27 December 1961): Synopsis of the North American Odontiinae, with descriptions of new genera and species (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 25 (mailed 28 December 1961): A revision of the New World species of *Thalycra* Erichson, with a description of a new genus and notes on generic synonymy (Coleoptera: Nitidulidae) — Henry F. Howden
- No. 26 (mailed 19 February 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). V. Synopsis of the Ichneumonini: Genera *Protopelmus*, *Patrocloides*, *Probolus*, *Stenichneumon*, *Aoplus*, *Limonethe*, *Hybophorellus*, *Rubicundiella*, *Melanichneumon*, *Stenobarichneumon*, *Platylabops*, *Hoplismenus*, *Hemihoplis*, *Trogomorpha* — Gerd H. Heinrich
- No. 27 (mailed 20 September 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VI. Synopsis of the Ichneumonini (genus *Plagiotrypes*), *Acanthojoppini*, *Listrodromini* and *Platylabini* — Gerd H. Heinrich
- No. 28 (mailed 6 November 1962): Larvae of the North American Tortricinae (Lepidoptera: Tortricidae) — Margaret Rae MacKay
- No. 29 (mailed 27 November 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VII. Synopsis of the Trogini addenda and corrigenda — Gerd H. Heinrich
- No. 30 (mailed 1 May 1963): A catalogue of the Nearctic Chalcidoidea (Insecta: Hymenoptera) — Oswald Peck
- NOTE: After Supplement No. 30, the series continued under the title of *Memoirs of the Entomological Society of Canada*.
- No. 31 (mailed 21 May 1963): The dynamics of epidemic spruce budworm populations — R. F. Morris, *Editor*
- No. 32 (mailed 4 June 1963): Population dynamics of agricultural and forest insect pests — E. J. LeRoux and others
- No. 33 (mailed 19 March 1964): Some neotropical genera resembling *Epicorsia* Hübner (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 34 (mailed 1 April 1964): Keys to the Chalcidoidea of Czechoslovakia (Insecta: Hymenoptera) — Oswald Peck, Zdeněk Bouček and Augustin Hoffer
- No. 35 (mailed 14 May 1964): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VIII. Addenda and corrigenda, host-parasite list and generic host index, index to ichneumonid names — Oswald Peck
- No. 36 (mailed 21 October 1964): The morphology, histology, and fine structure of the gut of the green peach aphid, *Myzus persicae* (Sulzer) (Homoptera: Aphididae) — A. R. Forbes
- No. 37 (mailed 23 October 1964): Insect lipids: A review — Paul G. Fast
- No. 38 (mailed 6 November 1964): Blood circulation in insect wings — John W. Arnold
- No. 39 (mailed 10 December 1964): The Geotrupinae of North and Central America — Henry F. Howden
- No. 40 (mailed 1 April 1965): The corn earworm complex — David F. Hardwick
- No. 41 (mailed 5 April 1965): The Phytoseiidae (Acarina) of Central America — D. A. Chant and E. W. Baker
- No. 42 (mailed 18 June 1965): The Muscidae of northern Canada, Alaska, and Greenland (Diptera) — Hugh C. Hockett
- No. 43 (mailed 23 June 1965): Recherches sur la biologie et la dynamique des populations naturelles d'*Archips argyrospilus* (Wlk.) (Lépidoptères: Tortricidae) dans le sud-ouest du Québec — Rudolphe-O. Paradis et E. J. LeRoux
- No. 44 (mailed 26 October 1965): The Callaphidini of Canada (Homoptera: Aphididae) — W. R. Richards
- No. 45 (mailed 7 December 1965): The functional response of predators to prey density and its role in mimicry and population regulation — C. S. Holling
- No. 46 (mailed 9 December 1965): The population dynamics of the winter moth in Nova Scotia, 1954-1962 — D. G. Embree

- No. 47 (mailed 29 December 1965): Taxonomic concepts in the Ascidae, with a modified setal nomenclature for the idiosoma of the Gamasina (Acarina: Mesostigmata) — Evert E. Lindquist and G. Owen Evans
- No. 48 (mailed 1 April 1966): The functional response of invertebrate predators to prey density — C. S. Holling
- No. 49 (mailed 16 May 1966): Revision of North American species of *Udea* Guenée (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 50 (mailed 15 September 1967): Guide to the Geometridae of Canada (Lepidoptera). I. Subfamily Sterrhinae — W. C. McGuffin
- No. 51 (mailed 15 September 1967): Aquatic and semiaquatic Heteroptera of Alberta, Saskatchewan, and Manitoba (Hemiptera) — Arthur R. Brooks and Leonard A. Kelton
- No. 52 (mailed 9 January 1968): A history of grasshopper abundance surveys and forecasts of outbreaks in Saskatchewan — Paul W. Riegert
- No. 53 (mailed 12 February 1968): Generic classification, evolution, and biogeography of the Sminthuridae of the World (Collembola) — W. R. Richards
- No. 54 (mailed 19 April 1968): A review of the Trichiinae of North and Central America (Coleoptera: Scarabaeidae) — Henry F. Howden
- No. 55 (mailed 3 July 1968): The *imbecillus* and *rufus* groups of the spider genus *Philodromus* in North America (Araneida: Thomisidae) — C. D. Dondale and J. H. Redner
- No. 56 (mailed 13 September 1968): The tachinids of Trinidad. VIII. Phorocerines — W. R. Thompson
- No. 57 (mailed 5 December 1968): A synopsis of the World fauna of *Myzocallis* (Homoptera: Aphididae) — W. R. Richards
- No. 58 (mailed 6 November 1968): The North American Aegeriidae (Lepidoptera): A revision based on late-instar larvae — Margaret Rae MacKay
- No. 59 (mailed 26 February 1969): The life histories, distribution, and immature forms of the North American sawflies of the genus *Cephalcia* (Hymenoptera: Pamphiliidae) — D. C. Eidt
- No. 60 (mailed 19 February 1969): Review of the Holarctic tarsonemid mites (Acarina: Prostigmata) parasitizing eggs of ipine bark beetles—Evert E. Lindquist
- No. 61 (mailed 17 April 1969): Contribution towards a monograph of the fleas of New Guinea — George P. Holland
- No. 62 (mailed 15 July 1969): A revision of the genera of the Syrphini (Diptera: Syrphidae) — J. R. Vockeroth
- No. 63 (mailed 21 June 1969): Larvae and pupae of some eastern North American Tabanidae (Diptera) — H. J. Teskey
- No. 64 (mailed 11 November 1969): The Agromyzidae of Canada and Alaska — Kenneth A. Spencer
- No. 65 (mailed 25 June 1970): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae: Bombinae): Bibliography — H. E. Milliron
- No. 66 (mailed 6 April 1970): Le genre *Rhyacophila* et la famille des Rhyacophilidae (Trichoptera) — F. Schmid
- No. 67 (mailed 24 March 1970): The genus *Euxoa* (Lepidoptera: Noctuidae) in North America. I. Subgenera *Orosagrotis*, *Longivesica*, *Chorizagrotis*, *Pleonectopoda*, and *Crassivesica* — David F. Hardwick
- No. 68 (mailed 26 March 1970): The Nearctic species of *Pnigalio* and *Sympiesis* (Hymenoptera: Eulophidae) — Charles Douglas Miller
- No. 69 (mailed 31 March 1970): The *Prosimulium* of Canada and Alaska (Diptera: Simuliidae) — B. V. Peterson
- No. 70 (mailed 25 June 1970): Models for the development and survival of *Hyphantria cunea* in relation to temperature and humidity — R. F. Morris and W. C. Fulton
- No. 71 (mailed 16 October 1970): Taxonomy and distribution of the European corn borer and allied species: Genus *Ostrinia* (Lepidoptera: Pyralidae) — Akira Mutuura and Eugene Munroe
- No. 72 (mailed 27 July 1970): A catalogue of types of Coleoptera in the Canadian National Collection of Insects — Raymond de Ruelle
- No. 73 (mailed 25 November 1970): A generic revision of the North American Heliethidinae (Lepidoptera: Noctuidae) — D. F. Hardwick
- No. 74 (mailed 25 November 1970): Revision of the subfamily Midilinae (Lepidoptera: Pyralidae) — Eugene Munroe

- No. 75 (mailed 19 April 1971): A revision of the Trogositidae of America north of Mexico (Coleoptera: Cleroidea) — J. R. Barron
- No. 76 (mailed 31 December 1970): Morphology and evolution of the insect thorax — Ryuichi Matsuda
- No. 77 (mailed 23 March 1971): The biology and dynamics of *Lithocolletis blancardella* (Lepidoptera: Gracillariidae) on apple in Quebec — R. P. Pottinger and E. J. LeRoux
- No. 78 (mailed 25 May 1971): Pest insects of annual crop plants in Canada. I. Lepidoptera. II. Diptera. III. Coleoptera — Bryan P. Beirne
- No. 79 (mailed 20 August 1971): Revision of the tribe Quediini of America north of Mexico (Coleoptera: Staphylinidae) — Aleš Smetana
- No. 80 (mailed 22 September 1971): A synopsis of the World fauna of the Saltusaphidinae, or sedge aphids (Homoptera: Aphididae) — W. R. Richards
- No. 81 (mailed 30 November 1971): A revision of the Alleculidae (Coleoptera) of the West Indies — J. M. Campbell
- No. 82 (mailed 3 December 1971): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae; Bombinae). I. The genera *Bombus* and *Megabombus* subgenus *Bombias* — H. E. Milliron
- No. 83 (mailed 3 December 1971): Review of *Lygocoris* species found in Canada and Alaska (Heteroptera: Miridae) — Leonard A. Kelton
- No. 84 (mailed 29 February 1972): A revision of the Nearctic Amaurobiidae (Arachnida: Araneida) — Robin Leech
- No. 85 (mailed 7 April 1972): Pest insects of annual crop plants in Canada. IV. Hemiptera-Homoptera. V. Orthoptera. VI. Other groups — Bryan P. Beirne
- No. 86 (mailed 21 September 1972): Guide to the Geometridae of Canada (Lepidoptera). II. Subfamily Ennominae, 1 — W. C. McGuffin
- No. 87 (mailed 21 September 1972): The Chaitophorinae of Canada (Homoptera: Aphididae) — W. R. Richards
- No. 88 (mailed 21 December 1972): Larval sketches of some Microlepidoptera, chiefly North American — Margaret Rae MacKay
- No. 89 (mailed 15 February 1973): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae; Bombinae). II. The genus *Megabombus* subgenus *Megabombus* — H. E. Milliron
- No. 90 (mailed 7 March 1973): A revision of the genus *Tachinus* (Coleoptera: Staphylinidae) of North and Central America — J. M. Campbell
- No. 91 (mailed 19 December 1973): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae; Bombinae). III. The genus *Pyrobombus* subgenus *Cullumanobombus* — H. E. Milliron
- No. 92 (mailed 23 April 1974): The systematics, phylogeny, and zoogeography of *Symmerus* Walker and *Australosymmerus* Freeman (Diptera: Mycetophilidae: Ditomiyiinae) — Donald Douglas Munroe
- No. 93 (mailed 30 May 1974): Revision of the genus *Cymbiodyta* Bed. (Coleoptera: Hydrophilidae) — Aleš Smetana

